

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1155	bi\$1directional with asynchronous	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 13:23
L3	146	bi\$1directional with asynchronous with channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 13:26
L4	23	distinct with asynchronous with channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:02
L5	185	(distinct or separate) with asynchronous with channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:02
L6	0	(distinct or separate) with asynchronous with channel and 715/744.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:02
L7	3	(distinct or separate) with asynchronous with channel and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:06
L8	2	((distinct or separate) with asynchronous with channel) same (print\$3 or spool\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:07

EAST Search History

L9	1	((distinct or separate) with asynchronous with channel) same client same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:09
L10	82	((distinct or separate) with asynchronous) same client same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:12
L11	1	((distinct or separate) with asynchronous with (communication or channel)) same client same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:13
L12	23	((distinct or separate) with asynchronous with (communication or channel or connection)) same client same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:13
L13	23	((distinct or separate) with asynchronous with (communication or channel or connection or line)) same client same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:13
L14	42	((distinct or separate) with asynchronous with (communication or channel or connection or line or thread)) same client same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:17
L15	9	((distinct or separate) with asynchronous with (communication or channel or connection or line or thread)) same client same server and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:29

EAST Search History

L16	8	((distinct or separate) with asynchronous with (communication or channel or connection or line)) same client same server and "715". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:29
L17	23	((distinct or separate) with asynchronous with (communication or channel or connection or line)) same client same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:46
L18	1	((distinct or separate) with asynchronous with (channel)) same client same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:50
L19	22	((distinct or separate) same asynchronous same (channel)) same client same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:53
L20	9	((distinct or separate) with channel) same asynchronous same client same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:53
S1	45	("5649099" "5450571" "5596718" "5689708" "5822435" "5956715" "6061684" "6061684" "6216157" "6219045" "6216157" "6219045" "5675805" "5677851" "5748896" "5768483" "5869819" "5907675" "5992752" "6023714" "6045048" "6061659" "6061659" "6076733" "6097882" "6152369" "5402527" "5483653" "5594840" "5740367" "5778183" "5832191" "5870555" "5933829" "5987535" "5995723" "6061790" "6061790" "6068188" "6094679" "6108656" "6138162" "6247011" "4930159" "5247670" "5276879" "5432899" "5467434" "5475801" "5481720").pn.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/19 14:59

EAST Search History

S2	1	"20040015408".pn.	US-PGPUB	OR	ON	2007/04/19 14:59
S3	15	FENG-JIN.in. IVANOV-LAZAR.in. SHIPLEY-KENTON.in. BARTHOLOMEW-PAUL.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 13:20
S4	2566	(internationalization or internationalisation or localization or localisation or i18n or l10n) and client and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:27
S5	17	S4 and "print server"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 13:29
S6	15	FENG-JIN.in. IVANOV-LAZAR.in. SHIPLEY-KENTON.in. BARTHOLOMEW-PAUL.in. IVANOV-LAZAR-I.in. SHIPLEY-KENTON-A.in. BARTHOLOMEW-PAUL-D.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 13:21
S8	423	S4 and ("print server" or "printer server")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/20 14:07
S9	1364	358/1.1.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/23 16:31
S10	480	704/8.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/23 16:31
S11	2566	(internationalization or internationalisation or localization or localisation or i18n or l10n) and client and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:32

EAST Search History

S12	51	(S9 and S11) or (S10 and S11)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/23 16:32
S13	2402	language same server same client same message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 17:25
S14	363	language with server with client with message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 17:26
S15	29	language with server with client with message and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 17:30
S16	5	(universal or neutral) with language with server with client and "715". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 17:32
S17	14	(universal or neutral) with language with server with client and printer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 17:36
S18	0	(localization with language with server with client) and printer and spooler and message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 17:36

EAST Search History

S19	0	(localization same language same server same client) and printer and spooler and message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 17:37
S20	0	(localization same language same server same client) and printer and spooler	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 17:37
S21	10	(localization same language same server same client) and printer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 17:37
S22	11871	("remote procedure call" or RPC)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:21
S23	488	("remote procedure call" or RPC) and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:21
S24	7	("remote procedure call" or RPC) same print and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:22
S25	362976	(internationali\$6 or locali\$6 or i18n or l10n)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:28

EAST Search History

S26	1523	(international\$6 or local\$6 or i18n or l10n) and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:28
S27	185	(international\$6 or local\$6 or i18n or l10n) and (asynchronous or rpc or "remote procedure") and "715". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:29
S28	81	(international\$6 or local\$6 or i18n or l10n) and (asynchronous or rpc or "remote procedure") and client and server and print\$3 and "715". clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:35
S29	3	(international\$6 or local\$6 or i18n or l10n) and (asynchronous or rpc or "remote procedure") and client and server and (print\$3 with spool\$3) and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:47
S30	0	(international\$6 or local\$6 or i18n or l10n) same (print\$3 with spool\$3) and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:48
S31	0	(international\$6 or local\$6 or i18n or l10n) same print\$3 same spool\$3 and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 14:48
S32	41	(international\$6 or local\$6 or i18n or l10n) same print\$3 same spool\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 15:01

EAST Search History

S33	37	(internationalization or localization or i18n or l10n) same print\$3 same message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 17:31
S34	3219	(internationalization or localization or i18n or l10n).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 17:31
S35	22	(internationalization or localization or i18n or l10n).ti. and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 17:32
S36	7	(internationalization or localization or i18n or l10n).ti. and client and server and asynchronous\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/28 18:41
S37	225	(print\$2 adj spooler) (print\$2 adj server) (communicat\$4 or channel or transmi\$5 or connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/28 18:44
S38	0	(print\$2 adj spooler) (print\$2 adj server) (communicat\$4 or channel or transmi\$5 or connect\$3) (internationalization or localization or i18n or l10n)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/01/28 18:43
S39	72	(print\$2 adj spooler) (print\$2 adj server) (communicat\$4 or channel or transmi\$5 or connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2008/01/28 18:44

EAST Search History

S40	26	(print\$2 adj spooler) (print\$2 adj server) (communicat\$4 or channel or transmi\$5 or connect\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/01/28 18:45
S41	13	(print\$2 adj spooler) (print\$2 adj server) (communicat\$4 or channel or transmi\$5 or connect\$3) client server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/01/28 18:46